

WARNING: Capacitors with insufficient voltage ratings may explode!



You can go on adding as many segments of 30 LED's as you like.

For House supply 220 volts AC
use 0.22uF 400volt. 1K 1/2 watt.

LED Tube light (AC) Designed by Dipankar Ghosh



40 FLA 50 AMP RES. PER POLE
600V MAX

VAC	10 HP	30 HP	LRA
120	3		
240	7.5	10	240
480		20	200
600		25	160

ABOVE 240 BREAK ALL LINES
HERM REFRIG COMP.
TORQUE FOR CU 75C SCREWS 27 LB IN LUGS 25 LB IN
HARTLAND CONTROLS ROCK FALLS IL


HCCY3XU04CG
COIL 208/240 VAC 50/60 HZ



MADE IN CHINA
C5012 F




Light
Control
Module



Wiring Harness



Wiring
Clamps




Flasher




Fuse

Rear Brake
Switch




Cable | Starter
Motor to Relay



Cable | Battery to
Earth

Starter Relay





Fuse Location
 Row One (top)
 F1 10A Switch
 F2 10A Light
 F3 5A A
 F4 5A O/E
 F5 10A Cont
 F6 10A Cont
 Row Two Left
 F7 10A F11
 Row Three Left
 F8 10A Drive
 F9 10A Heat
 F10 10A Air c
 F11 20A Rea
 F12 10A Rea
 F13 10A Alar
 Row Four Left
 F14 30A Drive
 F15 20A Drive
 F16 25A Heat
 F17 30A Rea
 F18 15A Fu
 Row Five Left
 F19 30A Heat
 Row Six Left to
 F20 40A Air
 F21 15A R
 F22 20A 1
 Row Seven (bo
 F23 10A F11

2010 Golf TDI build date 3??? 4 Door, Bixenon headlights, heated seats, Dynaudio, rear airbags. My option codes as listed on Options Sticker stuck to page 22 of the USA Warranty and Maintenance (and service schedule) manual are listed below. Note: Codes can be decoded from webpage:

<http://igorweb.org/equldec/Default.aspx>

5k1;BOD;CVO;GOK;H7K;J1D;D91;1AT;1G4;2PP;1NL;5RR;55H;TR4;OBE;3U4;QGO;8AX;8gu;8L6;1KS;1ZP;G07;7GB;OY3;4UM;4X4;4R4;4KG;N2M;5MA;9VE;2JZ;EOA;OAE;OBE;2UC;2G5;1JC;L58;OYC

